

HARRITY & SNYDER, L.L.P.

11240 WAPLES MILL ROAD, SUITE 300

FAIRFAX, VIRGINIA 22030

TELEPHONE (571) 432-0800

FACSIMILE (571) 432-0808

Proposed**FACSIMILE TRANSMITTAL****TO:****Name:** Primary Examiner Allan
Hoosain, Art Unit 2645**Fax No.:** (703) 746-5744**Phone No.:** (703) 305-4012**Subject:** 10/054,245**FROM:****Name:** Glenn Snyder**Phone No.:** (571) 432-0802**Fax # Verified by:****# Pages (incl. this):** 6**Date:** August 19, 2004**Message:**

Examiner Hoosain: Attached is a proposed amendment for discussion purposes for the interview scheduled for tomorrow. I look forward to discussing the case with you at your office on August 20th at 2:00. If you have any questions, please feel free to call me.

Thank you,
Glenn Snyder
Reg. No. 41,428

Please deliver to Examiner Allan Hoosain in Art Unit 2645

If there is a problem with this transmission, notify the sender at the number above.

This facsimile is intended only for the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure under applicable law. If you have received this facsimile in error, please notify the sender immediately by telephone (collect), and return the original message by first-class mail to the above address.

PROPOSED AMENDMENTS FOR 10/054,245 (FOR DISCUSSION PURPOSES)

1. (currently amended) An apparatus for decentralizing communication services in a telecommunications system, comprising:

a switch fabric which provides bearer functions;

a switch intelligence which provides control functions for said switch fabric, said switch intelligence logically separated from said switch fabric, the switch intelligence comprising a call segment service configured to maintain a call state and establish a call segment;

a switch fabric proxy service for providing a normalized interface between said switch fabric and said switch intelligence for communications involving said switch fabric and interfacing to said switch intelligence with a uniform application program interface, wherein the normalized interface comprises any one of a plurality of vendor-specific interfaces associated with the switch fabric and the uniform interface comprises a non-vendor specific interface associated with the switch intelligence; and

a feature processor, said feature processor executing at least one telecommunications function, for interacting with said switch intelligence to provide a telecommunications feature.

4. (currently amended) The system of claim 3, wherein said ~~switch intelligence~~ further comprises call segment service is further configured to:

instantiate at least one call segment instance ~~instantiated by a call segment~~ instance-service using a the call model, said call segment instance representing the call logic and call data for ~~said a~~ a party to a call, and

Application Serial No. 10/054,245
Attorney Docket No. CCK94028RE

~~for interacting~~ interact with said feature processor, said connection manager service, and said facility instance.

9. (currently amended) An apparatus comprising:

a switch-fabric proxy service for providing a normalized interface between a switch fabric and a switch intelligence for communications involving said switch fabric by interfacing to said switch fabric with any one of a plurality of application programming interfaces and interfacing to said switch intelligence with a uniform application programming interface; and

switch intelligence configured to maintain a call state associated with a call received by the switch fabric.

11. (currently amended) An apparatus comprising:

a switch fabric; and

a switch-fabric proxy service for providing a normalized interface between said switch fabric and a switch intelligence for communications involving said switch fabric; and

switch intelligence configured to maintain a call state associated with a call handled by the switch fabric, the call state being based on a call state model that is configured to be modifiable without modifying the switch fabric.

Application Serial No. 10/054,245
Attorney Docket No. CCK94028RE

22. (currently amended) An apparatus comprising:

a switch intelligence for providing control functions to at least one switch fabric,
the switch intelligence comprising:

a call segment service configured to:

maintain a call state associated with completing a call, and

establish a call segment associated with completing the call; and

a switch-fabric proxy service for providing a normalized interface, between said
switch intelligence and said at least one switch fabric, for communications involving said
at least one switch fabric.

29. (currently amended) A switch-fabric proxy service comprising:

means for translating switch-fabric communications into switch-intelligence
communications;

means for creating an editable call state machine;

means for creating call data instances in response to a request for service; and

means for translating switch-intelligence communications into switch-fabric
communications.

32. (currently amended) An apparatus comprising:

a switch-fabric proxy service that is capable of at least one of translating switch-
fabric communications into switch-intelligence communications, translating the switch-
intelligence communications into the switch-fabric communications, translating the
switch-fabric communications into communications defined according to a uniform

Application Serial No. 10/054,245
Attorney Docket No. CCK94028RE

switch-intelligence interface, and translating the communications defined according to a uniform switch-intelligence interface into the switch-fabric communications; and a switch intelligence configured to establish and maintain a call state associated with completing a call.

40. (currently amended) An apparatus comprising:

a switch intelligence for controlling a switch fabric, said switch intelligence physically separate from the switch fabric and couplable to a feature processor that executes at least one telecommunications function, wherein said switch intelligence comprises:

a call segment function configured to establish a call segment associated with aspects of data processing required to complete a bearer request.

44. (currently amended) An apparatus comprising:

a feature processor for executing at least one telecommunications function; and
~~an application programming interface communicating with said feature processor, wherein said application programming interface translates feature processor communications into at least one of communications defined according to a uniform interface and switch intelligence communications~~ switch intelligence configured to process information comprising signaling data and call state data associated with a call requiring the at least one telecommunications function.

Application Serial No. 10/054,245
Attorney Docket No. CCK94028RE

45. (currently amended) An apparatus for coupling at least one switch fabric having a control interface to at least one switch intelligence for controlling the switch fabric, the switch intelligence being physically separated from the switch fabric, comprising:

logic for processing signaling data and call state data associated with a call received by the at least one switch fabric; and

a switch-fabric proxy service including a first interface communicable with the switch fabric, the first interface being compatible with the switch-fabric control interface, and a second interface communicable with the switch intelligence by which the switch intelligence controls the switch fabric.

47. (currently amended) An apparatus, comprising:

a call completion device for providing bearer functions, said call completion device performing communications with a switch intelligence that is separated from said call completion device, the call completion device being configured to communicate with the switch intelligence to affect a call state maintained by the switch intelligence.

48. (currently amended) The apparatus of claim 47, wherein the switch intelligence comprises a call state model, ~~and wherein the call completion device communicates with the switch intelligence to affect a call state.~~

49. (previously presented) The apparatus of claim 48, wherein the call state is represented in the call state model.